

PRODUCT STORED	PARAMETERS TO BE TESTED IN SOIL	ANALYTICAL METHOD (reported on a dry weight basis)	PARAMETERS TO BE TESTED IN WATER	ANALYTICAL METHOD
Leaded Gasoline, Aviation Gasoline, and Jet Fuel	Benzene	EPA Method 5035/8021B or 5035/8260B	Benzene	EPA Method 5030B/8021B, 5030B/8260B or 524.2
	Toluene		Toluene	
	Ethyl Benzene		Ethyl Benzene	
	Xylenes (total)		Xylenes (total)	
	Cumene		Cumene	
	Naphthalene		Naphthalene	
	Dichloroethane, 1,2-		Dichloroethane, 1,2-	
	Dibromoethane, 1,2- (Ethylene Dibromide)		Dibromoethane, 1,2- (Ethylene Dibromide)	
	Lead (total)	EPA Method 6010B or 7420	Lead (dissolved)	EPA Method 6020 or 7421
Unleaded Gasoline	Benzene	EPA Method 5035/8260B	Benzene	EPA Method 5030B/8260B or 524.2
	Toluene		Toluene	
	Ethyl Benzene		Ethyl Benzene	
	Xylenes (total)		Xylenes (total)	
	Cumene		Cumene	
	Methyl Tert-Butyl Ether (MTBE)		Methyl Tert-Butyl Ether (MTBE)	
	Naphthalene		Naphthalene	
Kerosene, Fuel Oil No. 1	Benzene	EPA Method 5035/8021B or 5035/8260B	Benzene	EPA Method 5030B/8021B, 5030B/8260B or 524.2
	Toluene		Toluene	
	Ethyl Benzene		Ethyl Benzene	
	Cumene		Cumene	
	Naphthalene		Naphthalene	
	Fluorene	EPA Method 8270C or 8310	Fluorene	EPA Method 8270C, 8310 or 525.2
Diesel Fuel, Fuel Oil No. 2	Benzene	EPA Method 5035/8021B or 5035/8260B	Benzene	EPA Method 5030B/8021B, 5030B/8260B or 524.2
	Toluene		Toluene	
	Ethyl Benzene		Ethyl Benzene	
	Cumene		Cumene	
	Naphthalene		Naphthalene	
	Fluorene	EPA Method 8270C or 8310	Fluorene	EPA Method 8270C, 8310 or 525.2
	Phenanthrene		Phenanthrene	
Fuel Oil Nos. 4, 5 and 6, and Lubricating Oils and Fluids	Benzene	EPA Method 5035/8021B or 5035/8260B	Benzene	EPA Method 5030B/8021B, 5030B/8260B or 524.2
	Naphthalene		Naphthalene	
	Fluorene	EPA Method 8270C or 8310	Phenanthrene	EPA Method 8270C, 8310 or 525.2
	Anthracene		Pyrene	
	Phenanthrene		Chrysene	
	Pyrene			
	Benzo(a)anthracene			
	Chrysene			
	Benzo(b)fluoranthene			
	Benzo(a)pyrene			
	Benzo(g,h,i)perylene			
Used Motor Oil	Benzene	EPA Method 5035/8021B or 5035/8260B	Benzene	EPA Method 5030B/8021B, 5030B/8260B or 524.2
	Toluene		Toluene	
	Ethyl Benzene		Ethyl Benzene	
	Cumene		Cumene	
	Naphthalene		Naphthalene	
	Pyrene	EPA Method 8270C or 8310	Pyrene	EPA Method 525.2
	Benzo(a)anthracene		Benzo(a)anthracene	
	Chrysene		Chrysene	
	Benzo(b)fluoranthene		Benzo(b)fluoranthene	
	Benzo(a)pyrene		Benzo(a)pyrene	
	Indeno(1,2,3-cd)pyrene		Indeno(1,2,3-cd)pyrene	
	Benzo(g,h,i)perylene		Benzo(g,h,i)perylene	

	Lead (total)	EPA Method 6010B or 7420	Lead (dissolved)	EPA Method 6020 or 7421
Mineral Insulating Oil	PCB-1016 (Aroclor)	EPA Method 8082	PCB-1016 (Aroclor)	EPA Method 8082
	PCB-1221 (Aroclor)		PCB-1221 (Aroclor)	
	PCB-1232 (Aroclor)		PCB-1232 (Aroclor)	
	PCB-1242 (Aroclor)		PCB-1242 (Aroclor)	
	PCB-1248 (Aroclor)		PCB-1248 (Aroclor)	
	PCB-1254 (Aroclor)		PCB-1254 (Aroclor)	
	PCB-1260 (Aroclor)		PCB-1260 (Aroclor)	